

Safety Data Sheet

Suma Rinse A5

Revision: 2023-05-17 **Version:** 02.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Suma Rinse A5

1.2 Recommended use and restrictions on use

See product label. For professional use only.

1.3 Details of the supplier of the safety data sheet

Diversey Philippines Inc

Contact details

6756 Ayala Avenue 8 Floor Bankmer Building Makati City 1226 Philippines Tel. +63 2 8271 2400

1.4 Emergency telephone number

In case of medical emergency, please seek professional medical advice.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not classified

2.2 Label elements

None.

2.3 Other hazards

None.

No other hazards known. Exposure and appropriate engineering controls are specified in subsection 8.2 exposure controls.

2.4 Classification diluted product:

Maximum recommended use concentration (% w/w): 0.051

Not classified as hazardous

SECTION 3: Composition/information on ingredients

3.1 Substances / Mixtures

Ingredient(s)	CAS#	Classification	Weight %
alcohols, C13-15-branched and linear, butoxylated, ethoxylated	111905-53-4	Acute Tox. 4 (H302) Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412)	3-10
alcohols, C12-15-branched and linear, ethoxylated propoxylated	120313-48-6	Skin Irrit. 2 (H315) Aquatic Acute 1 (H400) Aquatic Chronic 3 (H412)	1-3
Sodium cumenesulfonate	28348-53-0	Eye Irrit. 2 (H319)	1-3

[4] Polymer.

Workplace exposure limit(s), if available, are listed in subsection 8.1. For the full text of the H phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

or attention.

Eye contact: Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical

attention.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:No known effects or symptoms in normal use.Skin contact:No known effects or symptoms in normal use.Eye contact:No known effects or symptoms in normal use.Ingestion:No known effects or symptoms in normal use.

4.3 Indication of immediate medical attention and notes for physician.

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dike to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Do not mix with other products unless adviced by Diversey.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original container.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

None.

Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

No special requirements under normal use conditions. Appropriate engineering controls:

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

No special requirements under normal use conditions. Eye / face protection: Hand protection: No special requirements under normal use conditions. **Body protection:** No special requirements under normal use conditions. Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Maximum recommended use concentration (% w/w): 0.051

Appropriate engineering controls: No special requirements under normal use conditions. Appropriate organisational controls: No special requirements under normal use conditions.

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions. Hand protection: No special requirements under normal use conditions. No special requirements under normal use conditions **Body protection:** Respiratory protection: No special requirements under normal use conditions. No special requirements under normal use conditions. **Environmental exposure controls:**

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Method / remark

Physical State: Liquid Color: Clear, Blue Odor: Product specific

Odor threshold: Not applicable

ISO 4316 **pH**: ≈ 5 (neat) Not relevant to classification of this product

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined

Flammability (liquid): Not flammable. Flash point (°C): Not applicable Sustained combustion: Not applicable (UN Manual of Tests and Criteria, section 32, L.2)

Evaporation Rate: Not determined

Flammability (solid, gas): Not applicable to liquids

Lower and upper explosion limit/flammability limit (%): Not determined

Vapor pressure: Not determined Relative vapor density No data available Relative density: ≈ 1.01 (20 °C)

Solubility in / Miscibility with water: Completely miscible Fully miscible

Partition coefficient: n-octanol/water No information available.

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined Decomposition temperature: Not applicable Not relevant to classification of this product

Not relevant to classification of this product

OECD 109 (EU A.3)

Viscosity: Not determined

Explosive properties: Not explosive. **Oxidising properties:** Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined Corrosion to metals: Not corrosive to metals

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
		(mg/kg)			time (h)
alcohols, C13-15-branched and linear, butoxylated, ethoxylated	LD 50	≥ 300-2000	Rat	Method not given	
alcohols, C12-15-branched and linear, ethoxylated propoxylated	LD 50	> 2000	Rat	Method not given	
Sodium cumenesulfonate	LD 50	> 7000	Rat	Method not given	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
		(mg/kg)			time (h)
alcohols, C13-15-branched and linear, butoxylated, ethoxylated		No data			
		available			
alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data			
		available			
Sodium cumenesulfonate	LD 50	> 2000	Rabbit	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alcohols, C13-15-branched and linear, butoxylated, ethoxylated		No data available			
alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available			
Sodium cumenesulfonate	LC 50	> 770	Rat	Method not given	4

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alcohols, C13-15-branched and linear, butoxylated, ethoxylated	Mild irritant	Rabbit	OECD 404 (EU B.4)	
alcohols, C12-15-branched and linear, ethoxylated propoxylated	Irritant	Rabbit	Draize test	
Sodium cumenesulfonate	Mild irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alcohols, C13-15-branched and linear, butoxylated, ethoxylated	Irritant	Rabbit	OECD 405 (EU B.5)	
alcohols, C12-15-branched and linear, ethoxylated propoxylated	Not corrosive or irritant	Rabbit	Draize test	
Sodium cumenesulfonate	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alcohols, C13-15-branched and linear, butoxylated, ethoxylated	No data available			
alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			
Sodium cumenesulfonate	No data available			

Sensitisation

 ensitisation by skin contact				
Ingredient(s)	Result	Species	Method	Exposure time (h)
alcohols, C13-15-branched and linear, butoxylated, ethoxylated	No data available			
alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			
Sodium cumenesulfonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alcohols, C13-15-branched and linear, butoxylated, ethoxylated	No data available			
alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			
Sodium cumenesulfonate	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
alcohols, C13-15-branched and linear, butoxylated, ethoxylated	No data available		No data available	
alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available		No data available	
Sodium cumenesulfonate	No evidence for mutagenicity, negative test results	Method not given	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)

Carcinogenicity

ed: enregerierty	
Ingredient(s)	Effect
alcohols, C13-15-branched and linear, butoxylated, ethoxylated	No data available
alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available
Sodium cumenesulfonate	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Toxicity for reproduction									
Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported		
alcohols, C13-15-branched and linear, butoxylated, ethoxylated			No data available						
alcohols, C12-15-branched and linear, ethoxylated propoxylated			No data available						
Sodium cumenesulfonate	NOAEL	Teratogenic effects	> 3000	Rat	Non guideline test				

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alcohols, C13-15-branched and linear, butoxylated, ethoxylated		No data available				
alcohols, C12-15-branched and linear, ethoxylated		No data				

propoxylated		available				
Sodium cumenesulfonate	NOAEL	763 - 3534	0	ECD 408 (EU	90	
				B.26)		

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
alcohols, C13-15-branched and linear, butoxylated,		No data				
ethoxylated		available				
alcohols, C12-15-branched and linear, ethoxylated		No data				
propoxylated		available				
Sodium cumenesulfonate	NOAEL	440	Mouse	Method not	90	
				given		

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alcohols, C13-15-branched and linear, butoxylated,		No data				
ethoxylated		available				
alcohols, C12-15-branched and linear, ethoxylated		No data				
propoxylated		available				
Sodium cumenesulfonate		No data				
		available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alcohols, C13-15-branched and linear, butoxylated, ethoxylated			No data available					
alcohols, C12-15-branched and linear, ethoxylated propoxylated			No data available					
Sodium cumenesulfonate	Dermal	NOAEL	727	Mouse	Method not given	24 month(s)		

STOT-single exposure

Ingredient(s)	Affected organ(s)
alcohols, C13-15-branched and linear, butoxylated, ethoxylated	No data available
alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available
Sodium cumenesulfonate	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
alcohols, C13-15-branched and linear, butoxylated, ethoxylated	No data available
alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available
Sodium cumenesulfonate	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alcohols, C13-15-branched and linear, butoxylated, ethoxylated	LC 50	> 1- 10	Leuciscus idus	Method not given	96
alcohols, C12-15-branched and linear, ethoxylated propoxylated	LC 50	> 1-10	Fish	OECD 203 (EU C.1)	96
Sodium cumenesulfonate	LC 50	> 1000	Fish	EPA-OPPTS 850.1075	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alcohols, C13-15-branched and linear, butoxylated, ethoxylated	EC 50	> 1 - 10	Daphnia magna Straus	Method not given	48
alcohols, C12-15-branched and linear, ethoxylated propoxylated	EC 50	≤ 1	Daphnia magna Straus	OECD 202 (EU C.2)	48
Sodium cumenesulfonate	EC 50	> 1000	Daphnia	EPA-OPPTS 850.1010	48

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alcohols, C13-15-branched and linear, butoxylated, ethoxylated		No data available			
alcohols, C12-15-branched and linear, ethoxylated propoxylated	EC 50	≤1	Desmodesmus subspicatus	OECD 201 (EU C.3)	RM000517/ RM002677 BASF EU RSDS 2021
Sodium cumenesulfonate	Er C 50	310	Not specified		72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alcohols, C13-15-branched and linear, butoxylated, ethoxylated		No data available			
alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available			
Sodium cumenesulfonate		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alcohols, C13-15-branched and linear, butoxylated, ethoxylated	EC 10	> 1000	Activated sludge	DEV-L2	
alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available			
Sodium cumenesulfonate	Er C 50	> 1000	Bacteria	OECD 209	3 hour(s)

Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alcohols, C13-15-branched and linear, butoxylated,		No data				
ethoxylated		available				
alcohols, C12-15-branched and linear, ethoxylated		No data				
propoxylated		available				
Sodium cumenesulfonate		No data				
		available				

Aquatic long-term toxicity - crustacea

Aqualic long-term toxicity - crustacea						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/l)	_		time	
alcohols, C13-15-branched and linear, butoxylated,	NOEC	> 0.1 - 1	Daphnia	OECD 202	21 day(s)	
ethoxylated			magna			
alcohols, C12-15-branched and linear, ethoxylated	NOEC	> 0.1-1	Daphnia	Method not	21 day(s)	
propoxylated			magna	given		
Sodium cumenesulfonate		No data				
		available			l I	

Aquatic toxicity to other aquatic bentine organisms, including sediment-dwelling organisms, it available.									
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed			
		(mg/kg dw			time (days)				
		sediment)							
Sodium cumenesulfonate		No data							
		available							

Terrestrial toxicityTerrestrial toxicity - earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
Sodium cumenesulfonate		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
Sodium cumenesulfonate		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
Sodium cumenesulfonate		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
Sodium cumenesulfonate		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
Sodium cumenesulfonate		No data available				

12.2 Persistence and degradability

None.

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time Method		Evaluation	Remark
Sodium cumenesulfonate	No data available			

Abiotic degradation - hydrolysis if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
Sodium cumenesulfonate	No data available			

Abiotic degradation - other processes, if available:

Tible to degladation of the processed in available.									
	Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark			
	Sodium		No data available						
	cumenesulfonate								

BiodegradationReady biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
alcohols, C13-15-branched and linear, butoxylated, ethoxylated	Activated sludge, aerobe	CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
alcohols, C12-15-branched and linear, ethoxylated propoxylated	Activated sludge, aerobe	CO ₂ production	> 60% in 28 day(s)	OECD 301B	Readily biodegradable
Sodium cumenesulfonate	Activated sludge, aerobe	CO ₂ production	100 % in 28 day(s)	OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
Sodium cumenesulfonate					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
Sodium cumenesulfonate					No data available

12.3 Bioaccumulative potential

None.

Restition coefficient n-octanol/water (log Kow)

Partition coefficient n-octanol/water (log Kow)							
Ingredient(s)	Value	Method	Evaluation	Remark			
alcohols, C13-15-branched and linear, butoxylated, ethoxylated	No data available						
alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available						
Sodium cumenesulfonate	-1.5	Method not given	Low potential for bioaccumulation				

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alcohols, C13-15-branched and	No data available				
linear, butoxylated, ethoxylated					
alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available				
Sodium cumenesulfonate	3.16		QSAR	Low potential for bioaccumulation	

12.4 Mobility in soil

None.

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
alcohols, C13-15-branched and linear, butoxylated, ethoxylated	No data available				
alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available				
Sodium cumenesulfonate	No data available				

12.5 Other adverse effects

None.

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products The concentrated contents or contaminated packaging should be disposed of by a certified handler (undiluted product): or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information

Land transport, Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods **14.3 Transport hazard class(es):** Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

DOLE Department Order No. 136-14 Guidelines for the Implementation of Globally Harmonized System (GHS) in Chemical Safety Program
in the Workplace

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS #: MS4000060 Version: 02.0 Revision: 2023-05-17

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 2, 6, 8, 15

Abbreviations and acronyms:

- ATE Acute Toxicity Estimate

- DNEL Derived No Effect Level
 EC50 effective concentration, 50%
 LC50 Lethal Concentration, 50% / Median Lethal Concentration
 LD50 Lethal Dose, 50% / Median Lethal dose
 NOAEL No observed adverse effect level

- NOEL No observed effect level
- OECD Organization for Economic Cooperation and Development
- PNEC Predicted No Effect Concentration
 STOT-RE Specific target organ toxicity (repeated exposure)
 STOT-SE Specific target organ toxicity (single exposure)
 H302 Harmful if swallowed.
 H315 Causes skin irritation.

- H316 Causes mild skin irritation.
- H319 Causes serious eye irritation.
- H400 Very toxic to aquatic life.
- H412 Harmful to aquatic life with long lasting effects.

End of Safety Data Sheet